

# Search history

L Number	Hits	Search Text	DB	Time stamp
1	4	user with status with groupware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 09:38
2	10	user with status same groupware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 09:41
3	40806	user with status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 09:41
4	20	status with groupware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 10:24
5	2	("5504889").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 10:30
6	2	("6490583").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 10:30
11	638	status with (multiple or plurality) with users	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 10:59
12	33	status with (multiple or plurality) with users same group	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 11:03
13	155	user\$ near status with (multiple or plurality)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 11:04
14	4	(user with status with groupware)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 11:04
15	155	user\$1 near status with (multiple or plurality)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 11:04
16	69	user\$1 near status with (multiple or plurality) and display with status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 11:11
17	336	(multiple or plurality or groups) near users with status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 11:49
18	20	(multiple or plurality or groups) near users with status with display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 11:14

19	42	(multiple or plurality or groups) with users with status and status near display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 11:23
20	1247	user with status with indication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 11:23
21	144	groupware with users	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 11:23
22	37	groupware with users and user with status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 11:35
24	0	"6161113" and user near status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 11:33
23	4	"6161113" and user with status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 11:33
25	24	groupware with users and user with status and groups	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 11:48
26	0	groupware with users and user with status and groups and view near status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 11:49
27	13	(multiple or plurality or groups) near users with status and view near status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 11:51
28	4342	user near status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 11:51
29	28	user near status and groupware and (access or viewed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 11:51
34	0	update with server and change near (file or document) and "not read"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:18
35	0	update and server and change near (file or document) and "not read"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:18
36	0	change near (file or document) and "not read"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:19

37	0	"not read"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:19
38	192	status with unread	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:19
39	27688	status with (unread or new)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:20
40	30	status with (unread or new) and update near component	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:20
41	28	status with (unread or new) and update near component and change	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:22
42	482	change near status with (unread or new)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:22
43	278	change near status with (unread or new) and update	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:22
44	181	change near status with (unread or new) and update and (file or document)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:23
45	11	change near status near (unread or new) and update and (file or document)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:24
46	31	change near status near (unread or new or "not read")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:25
47	8	change adj status near (unread or new or "not read")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:26
48	270	change adj status with (unread or new or "not read")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:48
49	1	change adj status with (unread or new or "not read") same ((change or modify or update) near (file or document))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:26
50	6	change adj status with (unread or new or "not read") and ((change or modify or update) near (file or document))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:27

51	5	change adj status with (unread or new or "not read") with (document or file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:49
52	3608978	change adj status near\$4 (unread or new or "not read")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:49
53	3608381	change adj status near\$3 (unread or new or "not read")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:50
54	3569266	change adj status near\$2 (unread or new or "not read")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:50
55	3348020	change adj status near\$1 (unread or new or "not read")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:50
57	56	change adj status near3 (unread or new or "not read")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:50
56	85	change adj status near4 (unread or new or "not read")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 13:51
58	585	(status or flag) near change with ("not read" or new or unread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:02
59	29	(status or flag) near change with ("not read" or new or unread) same (file or document)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:04
60	2	(status or flag) near change with ("not read" or new or unread) same (change or modify or update) near (file or document)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:04
61	4	(status or flag) near (change or modify or update) with ("not read" or new or unread) same (change or modify or update) near (file or document)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:04
62	0	"not read"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:10
63	23	status adj change near ("new" or unread or "not new")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:13
64	3	5319574.URPN.	USPAT	2004/04/27 14:12
65	1898	status adj changed and ("new" or unread or "not new")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:14

66	1898	status adj changed and ("new" or unread or "not read")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:14
67	2257	status adj changed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:14
68	61	status adj changed and ((edit or update or modify or change) adj (file or document))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:17
71	0	"changed a document" with status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:21
72	4	status with changed adj document	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:21
73	6	(status or flag) with changed adj document	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:22
76	3	"6161113" and change with document	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:35
79	1004	change\$ near document with (unread or "not read" or new or changed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:36
80	71	change\$ near document with (unread or "not read" or new or changed) with indicat\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:37
81	140	change\$ near document with (unread or "not read" or new or changed) with (indicat\$ or display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:37
83	80	change\$ near document with (unread or "not read" or new or changed) with (indicat\$ or display) and users	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:38
82	1	change\$ near document with (unread or "not read" or new or changed) with (indicat\$ or display) and users and groupware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:38
84	13	change\$ near document with (unread or "not read" or new) with (indicat\$ or display) and users	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:45
86	0	change\$ near document with (unread or "not read" or new) with (indicat\$ or display) and groupware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 14:45

87	51	(change\$ or modify\$) near (document or file) with (unread or "not read" or new) with (indicat\$ or display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/27 14:52
88	0	(change\$ or modify\$ or edit\$) near (document or file) with (unread or "not read") with (indicat\$ or display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/27 14:53
89	0	(change\$ or modify\$ or edit\$) near (document or file) with (unread or "not read") with (indicat\$ or display or show\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/27 14:53
90	0	(change\$ or modify\$ or edit\$) near (document or file) with (unread or "not read")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/27 14:54
91	7	(change\$ or modify\$ or edit\$) with (document or file) with (unread or "not read")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/27 14:54